

Drontal®

Plus XL Flavour Tablets for Dogs

Round and Tapewormer



Flavoured tablets for the control of gastrointestinal tapeworms and roundworms of adult dogs.

Description

Pale brown to brown, oval-shaped, divisible tablet scored on both sides. 1 tablet contains 175 mg praziquantel, 504 mg pyrantel embonate, 525 mg febantel and 408 mg artificial beef flavour irradiated.

Worms controlled include:

Ascarids: *Toxocara canis*, *Toxascaris leonina* (adult and late immature forms)

Hookworms: *Uncinaria stenocephala*, *Ancylostoma caninum* (adults)

Whipworms: *Trichuris vulpis* (adults)

Tapeworms: *Echinococcus spp.*, *Taenia spp.*, *Dipylidium caninum* (adult and immature forms)

Dosage

For oral administration only.

Dosages are as follows:

Bodyweight (kg)	Tablet Quantity
17.5 kg	1/2
>17.5 - 35	1
>35 - 52.5	1 1/2
>52.5 - 70	2

Drontal Plus Flavour Tablets for Dogs should be used to achieve accurate dosing in dogs weighing less than 17.5 kg. The dose is equivalent to 1 tablet per 10 kg. The tablets can be given directly to the dog or disguised in food. No starvation is needed before, or after, treatment. For routine treatment, a single dose is recommended. For the control of *Toxocara*, nursing bitches should be dosed 2 weeks after giving birth and every 2 weeks until weaning. For routine control, adult dogs should be treated every 3 months. In the event of heavy roundworm infestation, a repeat dose should be given after 14 days.

Contra-indications, warnings etc.

- Do not exceed stated dose when treating pregnant bitches
- Any part-used tablets should be discarded. Do not use simultaneously with piperazine compounds
- Concurrent use with other cholinergic compounds is not recommended
- Consult a veterinary surgeon before treating pregnant bitches for roundworms
- Tapeworm infestation is certain to re-occur unless control of intermediate hosts such as fleas, mice etc. are undertaken

User Warnings

In case of accidental ingestion, seek medical advice and show package leaflet to the physician.

In the interests of good hygiene, persons administering the tablets directly to a dog or by adding them to the dog's food should wash their hands afterwards.

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal product should be disposed of in accordance with local requirements.

KEEP OUT OF SIGHT AND REACH OF CHILDREN

For animal treatment only.

Keep blister in the outer carton.

Do not store above 25°C.

Do not use this veterinary medicinal product after the expiry date stated on the blister after EXP.

Dosage packs containing either 2, 8, 48, or 96 tablets, blister packed in foil strips are available.

Not all pack sizes may be marketed.

Name and address of the Marketing Authorisation Holder and of the Manufacturer

NFA-VPS (UK Only)

Marketing Authorisation:

The Marketing Authorisation number is Vm 00010/4153

Marketing Authorisation Holder

Bayer plc,

Animal Health Division, Bayer House,

Strawberry Hill, Newbury,

Berkshire RG14 1JA

Tel. 01635 563000

CAM (Ireland Only)

Marketing Authorisation:

The Marketing Authorisation number is 10021/55/1

Marketing Authorisation Holder

Bayer Ltd., Animal Health Division

The Atrium, Blackthorn Road,

Dublin 18

Tel: 01-2999313

Manufactured by:

KVP Pharma + Veterinär Produkte GmbH,

Projensdorfer Str. 324, D-24106 Kiel, Germany

The name of this veterinary medicine is:

Drontal Plus XL Flavour Tablets for Dogs

® Registered Trademark of Bayer AG

Date of leaflet preparation: June 2014

Bayer